In the Claims:

- 1-24. Canceled.
- 25. (original) A method for the treatment of a patient having need to inhibit TGFα-HII comprising: administering to the patient a therapeutically effective amount of the compound of claim 22 an antibody capable of binding to a polypeptide comprising a member selected from the group consisting of:
 - (a) amino acids 1 to 374 of SEQ ID NO:2;
 - (b) amino acids 46 to 374 of SEQ ID NO:2;
 - (c) amino acids 1 to 309 of SEQ ID NO:2;
 - (d) amino acids 46 to 309 of SEQ ID NO:2;
 - (e) amino acids 260 to 309 of SEQ ID NO:2;
 - (f) a polypeptide encoded by the cDNA contained in ATCC Deposit No. 97160;
 - (g) at least 30 contiguous amino acids of SEQ ID NO:2;
 - (h) at least 50 contiguous amino acids of SEQ ID NO:2;
 - (i) a polypeptide which is at least 70% identical to the polypeptide of (a), (b) (c), (d), (e), or (f); and
 - (j) a polypeptide fragment of the polypeptide of (a), (b) (c), (d), (e), or (f).
 - 26-30. Canceled
- 31. (new) The method of claim 25 wherein said antibody is capable of binding to a polypeptide comprising amino acids 1 to 374 of SEQ ID NO:2.

- 32. (new) The method of claim 25 wherein said antibody is capable of binding to a polypeptide comprising amino acids 46 to 374 of SEQ ID NO:2.
- 33. (new) The method of claim 25 wherein said antibody is capable of binding to a polypeptide comprising amino acids 1 to 309 of SEQ ID NO:2.
- 34. (new) The method of claim 25 wherein said antibody is capable of binding to a polypeptide comprising amino acids 46 to 309 of SEQ ID NO:2.
- 35. (new) The method of claim 25 wherein said antibody is capable of binding to a polypeptide comprising amino acids 260 to 309 of SEQ ID NO:2.
- 36. (new) The method of claim 25 wherein said antibody is capable of binding to a polypeptide comprising a polypeptide encoded by the cDNA contained in ATCC Deposit No. 97160.
- 37. (new) The method of claim 25 wherein said antibody is capable of binding to a polypeptide comprising at least 30 contiguous amino acids of SEQ ID NO:2.
- 38. (new)) The method of claim 25 wherein said antibody is capable of binding to a polypeptide comprising at least 50 contiguous amino acids of SEQ ID NO:2.
 - 39. (new) The method of claim 25 wherein said antibody is polyclonal.
 - 40. (new) The method of claim 25 wherein said antibody is monoclonal.
 - 41. (new) The method of claim 25 wherein said antibody is chimeric.
 - 42. (new) The method of claim 25 wherein said antibody is humanized.
 - 43. (new) The method of claim 25 wherein said antibody is a single-chain antibody.
 - 44. (new) The method of claim 25 wherein said antibody is an Fab fragment.